

City of Duluth **Planning Division**

411 West First Street • Room 208 • Duluth, Minnesota 55802-1197 218-730-5580 • Fax: 218-730-5904 • www.duluthmn.gov

An Equal Opportunity Employer

ACTION OF THE CITY OF DULUTH PLANNING COMMISSION

Date:

May 24, 2012

Applicant:

Location:

Mark Lambert

Village Center Development LLC & Bluestone

Commons LLC

Woodland School Site (201 Clover Street)

Planning Commission File Number:

PL 12-013 (R-P Plan). Related to PL 12-012 (Rezoning to R-P)

Proposal Requested:

Applicant has submitted a Residential-Planned Regulating Plan for the property to be rezoned to the R-P Zone District.

The rezoning for the above matter came for hearing before the City of Duluth Planning Commission ("Commission") on Tuesday, March 27, 2012, notice of said hearing having been given to all interested parties in accordance with Section 50-37.10 of the Duluth Legislative Code. The applicants appeared and presented their request to the Commission. The Commission also received a report from Planning Division Staff. All other parties interested in the matter were given an opportunity to be heard.

The above matter than went before the City Council on April 9, 2012 and April 23, 2012; the City Council approved the rezoning as recommended by the Planning Commission

Upon review of the Residential-Planned Regulating Plan, the findings and conclusions:

Conclusions:

- A. The request is in harmony with the purposes and intent of the UDC.
- B. The request is consistent with the comprehensive plan.
- C. The request will allow reasonable use of the land.

Resolved: The request for a R-P Regulating Plan is approved with the following conditions;

- 1) The project be limited to, constructed, and maintained according to documents as to the Revised Regulating Plan Documentation Submitted on March 9, 2012, except as modified by: R-P Zoning and Regulating Plan Map L100 created January 24, 2012 and Received May 8, 2012; Phase 1R (West), 3R (West) and 3R (North) Elevations created May 7, 2012 and Received May 8, 2012; R-P Zoning and Regulating Plan Map L400 Snow Storage created January 24, 2012, and Supplemental Information Sections 50-14.7 (g 3, 4, and 10) Received March 19, 2012.
- 2) The applicant obtain all required City, State, and Federal permits and approvals for the project.
- 3) Applicant submit revised information that is approved by the Land Use Supervisor that shows:

- -schematics indicating typical detail for trails and sidewalks in this development,
- -fence or similar method to visually separate the four single family lots from the area setaside for tree preservation
- -tree canopy coverage and internal landscaping percentage for each parking lot. Unless otherwise approved, all parking surfaces must meet the standards for landscaping in the UDC.
- 4) The applicant must apply for and receive an Interim Use Permit/Special Use Permit from the Duluth City Council before using the property in a way as identified as an special use and/or interim use in the Regulating Plan
- 5) Any other alterations to the approved plans that do not alter major elements of the plan may be approved by the Land Use Supervisor without further Planning Commission; however, no such administrative approval shall constitute a variance from the provisions of Chapter 50.

Decided at Duluth, Minnesota, on May 24th, 2012.

BY ORDER OF THE CITY PLANNING LAND USE SUPERVISOR

Keith Hamre, Interim Planning Manager

c: City Engineering Division
Building Safety Division
Todd Carlson, Utility Operations, Garfield

Attachments (note, complete file found on record)

- Landscape Plan L100, May 8, 2012
- Proposed RP Rezoning Map, March 7, 2012
- RP Text for 50-14.7(G)(2)-Setbacks
- RP Text for 50-14.7(G)(6)-Uses
- Phase 1R (West), 3R (West) and 3R (North) Elevations created May 7, 2012



Decid 3-27

PROPERTY LINE

elness swenson graham architects inc 500 washington avenue south minneapolis minnesota 55415 tel 6123395508 fax. 6123395382 www.esgarch.com



Bluestone Commons RP Zoning & Regulating Plans

PROPERTY LINE

L100

LANDSCAPE PLAN

John of Procerved 1 read (in.)	Trans	Rumbers of I read Gracified	1 lotal lines Dress
Swe12	10	3	57
5 L 11.9	27	2	54
5E75	47	1	27

Tree Cotogory Required Regisconart *Clint Preserved *Bibl * Surplus *Clint

ec Drees	
57	
54	
~~~	

1 LANDSCAPE PLAN (ALL TREE LOCATIONS SUBJECT TO CHANGE BASED ON SITE CONDITIONS)

000

MAY - 8 2012

TREE PRESERVATION & PROPOSED LANDSCAPING

210410	8E	
Project Number	Orawn By	CONTRACTOR OF THE PARTY OF THE
1-24-12		
Date	Checked by	NAME OF THE OWNER OWNER OF THE OWNER O

Duluth. MN

7.5" DECID. TREE, TYP. -

Ommining.

RECOMMENDED THEE SPECIES: SWAMP WHETE DAK


PLANTED LANDSCAPE BUFFER AT PARKING LOT EDGE SEE 4/L200

Cammumm)uma

==

PLANTED LANDSCAPE BUFFER AT PARKING LOT EDGE SEE 4/L200

POTENTIAL STORWWATER RAIN GARDEN



# REGULATING PLAN

50-14.7(G)(2)

UDC Section 50-14.7(G)(2) states that the applicant shall include the following information in the regulating plan:

"Lot sizes, widths, and building setbacks for all proposed development parcels."

# Tract#

A.

1. Height: 75 Feet

2. Lot Size: 2.25 acres/ 97,804 sqft.

3. Width along Elizabeth Street: 429.8 Feet

4. Building Setback:

i. Front Yard: Elizabeth (N) 20 Feet

ii. Side Yard: (W) 20 Feet

iii. Side Yard: (E) 0 Feet

iv. Rear Yard: (S) 0 Feet

B.

1. Height: 75 Feet

2. Lot Size: .72 Acres/ 31,505 sqft.

3. Width: (None-Interior Tract)

4. Building Setback:

i. Front Yard: (SE) 20 Feet

ii. Side Yard: (NE) 0 Feet

iii. Side Yard: (SW) 0 Feet

iv. Rear Yard: (NW) 0 Feet

C.

1. Height: 75 Feet

2. Lot Size: 1.70 Acres/ 73,919 sqft.

3. Width: (None-Interior Tract)

4. Building Setback:

i. Front Yard: (S) 20 Feet

ii. Side Yard: (W) 0 Feet

iii. Side Yard: (E) 0 Feet

iv. Rear Yard: (N) 20 Feet

- 1. Height: 75 Feet
- 2. Lot Size: 1.51 Acres/ 65,830 sqft.
- 3. Width: (None-Interior Tract)
- 4. Building Setback:
  - i. Front Yard: (S) 20 Feet
  - ii. Side Yard: (W) 0 Feet
  - iii. Side Yard: (E) 0 Feet
  - iv. Rear Yard: (N) 0 Feet

E.

- 1. Height: 75 Feet
- 2. Lot Size: .88 Acres/ 38,170 sqft.
- 3. Width along Woodland Avenue: 178.5 Feet
- 4. Building Setback:
  - i. Front Yard: (Woodland Ave. W) 0 Feet
  - ii. Side Yard: (N) 0 Feet
  - iii. Side Yard: (S) 0 Feet
  - iv. Rear Yard: (E) 0 Feet

F.

- 1. Height: 75 Feet
- 2. Lot Size: .72 Acres/ 31,256 sqft.
- 3. Width along Woodland Avenue: 215.6 Feet
- 4. Building Setback:
  - i. Front Yard: (Woodland Ave.- W) 0 Feet
  - ii. Side Yard: (N) 0 Feet
  - iii. Side Yard: (S) 0 Feet
  - iv. Rear Yard: (E) 0 Feet

G.

- 1. Height: 75 Feet
- 2. Lot Size: .52 Acres/ 22,831 sqft.
- 3. Width along Woodland Avenue: 134.7 Feet
- 4. Building Setback:
  - i. Front Yard: (Woodland Ave.- W) 0 Feet
  - ii. Side Yard: (N) 0 Feet
  - iii. Side Yard: (S) 0 Feet
  - iv. Rear Yard: (E) 0 Feet

- 1. Height: 75 Feet
- 2. Lot Size: .55 Acres/ 24,174 sqft.
- 3. Width: (None-Interior Tract)
- 4. Building Setback:
  - i. Front Yard: (N) 0 Feet
  - ii. Side Yard: (W) 0 Feet
  - iii. Side Yard: (E) 0 Feet
  - iv. Rear Yard: (S) 0 Feet

I.

- 1. Height: 75 Feet
- 2. Lot Size: .53 Acres/ 22,931 sqft.
- 3. Width: (None-Interior Tract)
- 4. Building Setback:
  - i. Front Yard: (N) 0 Feet
  - ii. Side Yard: (W) 0 Feet
  - iii. Side Yard: (E) 0 Feet
  - iv. Rear Yard: (S) 0 Feet

J.

- 1. Height: 75 Feet
- 2. Lot Size: .77 Acres/ 33,377 sqft.
- 3. Width: (None-Interior Tract)
- 4. Building Setback:
  - i. Front Yard: (W) 0 Feet
  - ii. Side Yard: (N) 0 Feet
  - iii. Side Yard: (S) 0 Feet
  - iv. Rear Yard: (E) 0 Feet

K.

- 1. Height: 75 Feet
- 2. Lot Size: .56 Acres/ 24,361 sqft.
- 3. Width along Woodland Avenue: 149.1 Feet
- 4. Building Setback:
  - i. Front Yard: (Woodland-W) 0 Feet
  - ii. Side Yard: (S) 0 Feet
  - iii. Side Yard (N) 0 Feet
  - iv. Rear Yard: (E) 0 Feet

- 1. Height: 75 Feet
- 2. Lot Size: .30 Acres/ 13,249 sqft.
- 3. Width along Woodland Avenue: 81.6 Feet
- 4. Building Setback:
  - i. Front Yard: (Woodland-W) 0 Feet
  - ii. Side Yard: (N) 0 Feet
  - iii. Side Yard: (S) 0 Feet
  - iv. Rear Yard: (E) 0 Feet

M.

- 1. Height: 75 Feet
- 2. Lot Size: .33 Acres/ 14,311 sqft.
- 3. Width along Woodland Avenue: 83 Feet
- 4. Building Setback:
  - i. Front Yard: (Woodland-W) 0 Feet
  - ii. Side Yard: (N) 0 Feet
  - iii. Side Yard: (S) 0 Feet
  - iv. Rear Yard: (E) 0 Feet

N.

- 1. Height: 75 Feet
- 2. Lot Size: .64 Acres/ 27,944 sqft.
- 3. Width along Woodland Avenue: 154.6 Feet
- 4. Building Setback:
  - i. Front Yard: (Woodland-W) 0 Feet
  - ii. Side Yard: (N) 0 Feet
  - iii. Side Yard: (S) 0 Feet
  - iv. Rear Yard: E) 0 Feet

O.

- 1. Height: 75 Feet
- 2. Lot Size: .32 Acres/ 13,856 sqft.
- 3. Width: (Woodland) 77 Feet / (Clover) 182.3 Feet
- 4. Building Setback:
  - i. Front Yard: (Woodland-W) 0 Feet
  - ii. Side Yard: (N) 0 Feet
  - iii. Side Yard: (S) 0 Feet
  - iv. Rear Yard: (E) 0 Feet

- 1. Height: 75 Feet
- 2. Lot Size: 1.49 Acres/ 64,717 sqft.
- 3. Width along Clover Street: 157.6 Feet
- 4. Building Setback:
  - i. Front Yard: (Clover-S) 20 Feet
  - ii. Side Yard: (W) 0 Feet
  - iii. Side Yard: (E) 0 Feet
  - iv. Rear Yard: (N) 0 Feet

Q.

- 1. Height: 75 Feet
- 2. Lot Size: 2.40 Acres/ 104,420 sqft.
- 3. Width: (Clover) 114 Feet / (E. 8th Street) 298.8 Feet
- 4. Building Setback:
  - i. Front Yard: (Clover) 20 Feet/ (E 8th Street) 20 Feet
  - ii. Side Yard: (W) 0 Feet
  - iii. Side Yard: (E) 0 Feet
  - iv. Rear Yard: (N) 0 Feet

R.

- 1. Height: 75 Feet
- 2. Lot Size: 1.69 Acres/ 73,786 sqft.
- 3. Width along Clover Street: 304.8 Feet
- 4. Building Setback:
  - i. Front Yard: (SE) 20 Feet
  - ii. Side Yard: (SW) 0 Feet
  - iii. Side Yard: (NE) 0 Feet
  - iv. Rear Yard: (NW) 0 Feet
- S. (Tree Preservation Area)
  - 1. Height: 0 Feet
  - 2. Lot Size: 2.99 Acres/ 130,050 sqft.
  - 3. Width: (None-Interior Tract)
  - 4. Building Setback:
    - i. Front Yard: None
    - ii. Side Yard: None
    - iii. Side Yard: None
    - iv. Rear Yard: None

- 1. Height: 35 Feet
- 2. Lot Size: .28 Acres/ 12,109 sqft.
- 3. Width along East 8th Street: 116.7 Feet
- 4. Building Setback:
  - i. Front Yard: (SE) 20 Feet
  - ii. Side Yard: (NE) 10 Feet
  - iii. Side Yard: (SW) 10 Feet
  - iv. Rear Yard: (NW) 20 Feet

U.

- 1. Height: 35 Feet
- 2. Lot Size: .33 Acres/ 14,304 sqft.
- 3. Width along East 8th Street: 116.5 Feet
- 4. Building Setback:
  - i. Front Yard: (SE) 20 Feet
  - ii. Side Yard: (NE) 10 Feet
  - iii. Side Yard: (SW) 10 Feet
  - iv. Rear Yard: (NW) 20 Feet

V.

- 1. Height: 35 Feet
- 2. Lot Size: .34 Acres/ 14,999 sqft.
- 3. Width along East 8th Street: 116.6 Feet
- 4. Building Setback:
  - i. Front Yard: (SE) 20 Feet
  - ii. Side Yard: (NE) 10 Feet
  - iii. Side Yard: (SW) 10 Feet
  - iv. Rear Yard: (NW) 20 Feet

W.

- 1. Height: 35 Feet
- 2. Lot Size: .40 Acres/ 17,500 sqft.
- 3. Width along East 8th Street: 116.5 Feet
- 4. Building Setback:
  - i. Front Yard: (SE) 20 Feet
  - ii. Side Yard: (NE) 10 Feet
  - iii. Side Yard: (SW) 10 Feet
  - iv. Rear Yard: (NW) 20 Feet

## REGULATING PLAN

50-14.7(G)(6)

UDC Section 50-14.7(G) (6) states that the applicant shall include the following information in the regulating plan:

"6. Permitted and special uses for the site, which shall be consistent with those shown on Table 50-19.8"

Due to changing market conditions and the expected duration of the development timeline, the applicant is unable to predict the exact uses within the development site. The applicant proposes that the uses stated below be approved within the proposed development tracts (as indicated on Exhibit RP-1A). Items marked with "*" denote uses that are not currently approved as "Permitted Uses" within RP Zoning.

## **Tract Letter**

A.

- a. Dwelling Multifamily
- b. University or college *
- c. Retail Store Not Listed, Small
- d. Dwelling, Townhouse
- e. Residential Care Facility/ Assisted Living (7 or more)
- f. Rooming House (Dorm/ Live-Learn)
- g. Accessory recycling collection point
- h. Accessory Sidewalk Dining Area
- i. Accessory Solar or Geothermal Power Equipment
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- k. Temporary construction office or yard
- 1. Temporary real estate sales office (rental leasing)

B.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small

- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

C.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

D.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel

- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- p. Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

### E.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- p. Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

## F.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- p. Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

## G.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices: Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- p. Accessory Minor Utility and accessory wireless antennas attached to existing structure

- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

# H.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

### I.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*

- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

#### J.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- p. Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

# K.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small

- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- p. Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

## L.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

## M.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel

- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

#### N.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

#### O.

- a. Dwelling Multifamily
- b. Grocery Store, Small
- c. Hotel or Motel
- d. Medical or Dental clinic
- e. Office
- f. Offices; Bank*
- g. Personal Service, small
- h. Retail Store Not Listed, Small
- i. Restaurant (no drive-in/ drive-through)
- j. Retail Store Not Listed; Large *
- k. Rooming House (Dorm/ Live-Learn)
- 1. Vehicle related; Automobile and light vehicle sales, rental or storage*
- m. Accessory recycling collection point
- n. Accessory Sidewalk Dining Area
- o. Accessory Solar or Geothermal Power Equipment
- p. Accessory Minor Utility and accessory wireless antennas attached to existing structure
- q. Accessory uses and structures not listed elsewhere
- r. Temporary construction office or yard
- s. Temporary real estate sales office (rental leasing)

## P.

- a. School, middle or high (until June, 2013)
- b. Daycare facility, large (15 or more)
- c. Dwelling Multifamily
- d. Food Beverage, and Indoor Entertainment; Theater*
- e. Grocery Store, Small
- f. Medical or Dental clinic
- g. Office
- h. Offices; Bank*
- i. Parking Lot or Parking Structure (Primary Use) *
- j. Personal Service, small
- k. Personal Services and repair, Large *
- 1. Rooming House (Dorm/ Live-Learn)
- m. Retail Store Not Listed; Large *
- n. Retail Store Not Listed, Small
- o. Restaurant (no drive-in/ drive-through)
- p. Theater
- q. University or college *

- r. Vehicle related; Automobile and light vehicle sales, rental or storage*
- s. Accessory day care facility
- t. Accessory Solar or Geothermal Power Equipment
- u. Accessory Sidewalk Dining Area
- v. Accessory uses and structures not listed elsewhere
- w. Accessory recycling collection point
- x. Accessory Minor Utility and accessory wireless antennas attached to existing structure
- y. Temporary real estate sales office (rental leasing)
- z. Temporary construction office or yard
- aa. Temporary moveable storage container

## Q.

- a. School, middle or high (until June, 2013)
- b. Daycare facility, large (15 or more)
- c. Dwelling Multifamily
- d. Food Beverage, and Indoor Entertainment; Theater*
- e. Grocery Store, Small
- f. Medical or Dental clinic
- g. Office
- h. Offices; Bank*
- i. Parking Lot or Parking Structure (Primary Use) *
- j. Personal Service, small
- k. Personal Services and repair, Large *
- Rooming House (Dorm/ Live-Learn)
- m. Retail Store Not Listed; Large *
- n. Retail Store Not Listed, Small
- o. Restaurant (no drive-in/ drive-through)
- p. Theater
- q. University or college *
- r. Vehicle related; Automobile and light vehicle sales, rental or storage*
- s. Accessory day care facility
- t. Accessory Solar or Geothermal Power Equipment
- u. Accessory Sidewalk Dining Area
- v. Accessory uses and structures not listed elsewhere
- w. Accessory recycling collection point
- x. Accessory Minor Utility and accessory wireless antennas attached to existing structure
- y. Temporary real estate sales office (rental leasing)
- z. Temporary construction office or yard

# aa. Temporary moveable storage container

## R.

- a. School, middle or high (until June, 2013)
- b. Daycare facility, large (15 or more)
- c. Dwelling Multifamily
- d. Food Beverage, and Indoor Entertainment; Theater*
- e. Grocery Store, Small
- f. Medical or Dental clinic
- g. Office
- h. Offices; Bank*
- i. Parking Lot or Parking Structure (Primary Use) *
- j. Personal Service, small
- k. Personal Services and repair, Large *
- 1. Rooming House (Dorm/ Live-Learn)
- m. Retail Store Not Listed; Large *
- n. Retail Store Not Listed, Small
- o. Restaurant (no drive-in/ drive-through)
- p. Theater
- q. University or college *
- r. Vehicle related; Automobile and light vehicle sales, rental or storage*
- s. Accessory day care facility
- t. Accessory Solar or Geothermal Power Equipment
- u. Accessory Sidewalk Dining Area
- v. Accessory uses and structures not listed elsewhere
- w. Accessory recycling collection point
- Accessory Minor Utility and accessory wireless antennas attached to existing structure
- y. Temporary real estate sales office (rental leasing)
- z. Temporary construction office or yard
- aa. Temporary moveable storage container

## S.

a. None

#### T.

- a. Dwelling, One Family
- b. Dwelling, Two-Family
- c. Dwelling, Townhouse
- d. Accessory recycling collection point

- e. Accessory Solar or Geothermal Power Equipment
- f. Accessory uses and structures not listed elsewhere

U.

- a. Dwelling, One Family
- b. Dwelling, Two-Family
- c. Dwelling, Townhouse
- d. Accessory recycling collection point
- e. Accessory Solar or Geothermal Power Equipment
- f. Accessory uses and structures not listed elsewhere

V.

- a. Dwelling, One Family
- b. Dwelling, Two-Family
- c. Dwelling, Townhouse
- d. Accessory recycling collection point
- e. Accessory Solar or Geothermal Power Equipment
- f. Accessory uses and structures not listed elsewhere

W.

- a. Dwelling, One Family
- b. Dwelling, Two-Family
- c. Dwelling, Townhouse
- d. Accessory recycling collection point
- e. Accessory Solar or Geothermal Power Equipment
- f. Accessory uses and structures not listed elsewhere


MAY 7, 2012



Phase 1R: Residential over Parking (West) Elevation



MAY 7, 2012



MAY 7, 2012



Woodland Middle School

Regulating Plan

Applicants: BlueStone Commons, LLC, Village Center Development, LLC, Woodland Commons, LLC

Supplemental Information: Regulating Plan Sections 50-14.7(g) (3), (4) and (10)

Visitors to the property would possess an implied license to enter onto the privately owned land in order to use and enjoy the shops, restaurants, and common open space (trails, sidewalks, bicycle areas and parking areas).

In the case of the private roads within the community, the roads would be maintained by the owner, but the city would possess a public access and utility easement over and under Summit Street.

With respect to sidewalks, trails, bike lanes and open space within the development, the public would have access to reasonable use of those thoroughfares. Members of the public would only lose the right to utilize those thoroughfares if they committed acts which are deemed unlawful, or unreasonably disturbed, harassed or offended other members of the public, the management, or the tenants of either the retail or residential buildings.

# First Amendment to the Regulating Plan (Approved May 24th, 2012)

BlueStone Commons, LLC Village Center Development, LLC Woodland Commons, LLC

8-27-2012

# 1. Purpose

This amendment relates to temporary signage erected for the benefit of leasing and construction activities at the 22 acre BlueStone site as defined in the Regulating Plan, approved May 24th, 2012 (formerly the Woodland Middle School, the vacant land, and single family houses along Woodland Avenue) (collectively known as the "BlueStone Site").

## 2. Sign Locations

BlueStone Commons, LLC, Village Center Development, LLC and Woodland Commons, LLC, together with their agents, affiliates, assignees and successors (the "Applicants") may erect temporary signage throughout the BlueStone Site ("Temporary Signage").

#### 3. Setback

Temporary Signage may be erected on a BlueStone Site parcel at setback equal to the lot setback for that development parcel as defined in the Regulating Plan (Approved May 24th, 2012).

#### 4. Size

Each sign discussed herein shall be no more than 6 feet tall x 10 feet wide.

#### 5. Period of Use

Temporary Signage may remain at the BlueStone Site during periods of leasing and/or construction activities.

#### 6. Permit

No permit shall be required to erect Temporary Signage within the BlueStone Site.

# BlueStone Commons, LLC

By: Mark W. Lambert Its: Chief Manager

Village Center Development, LLC

By: Mark W. Lambert Its: Chief Manager

Woodland Commons, LLC

By: Mark W. Lambert Its: Chief Manager

By order of the City Planning and Land Use Supervisor

Keith Hamre, Interim Planning Manager

# Second Amendment to the Regulating Plan (Approved May 24th, 2012)

BlueStone Commons, LLC Village Center Development, LLC Woodland Commons, LLC

12-21-2012

# 1. Purpose

This amendment relates to a change in the building elevation, bedroom and unit count, and parking requirements of Phase 1R of the BlueStone Development ("BlueStone Lofts").

# 2. Building Size

Per the attached Building Permit Set (dated 12/7/2012, and attached as Exhibit A), the BlueStone Lofts will no longer contain five stories of housing with two levels of underground parking. BlueStone Lofts will now be comprised of a four story building with one level of underground parking. The building will contain 99 units, 293 bedrooms and 363 beds. This change was made in consultation with industry and market experts and will aid in the success of building leasing.

# 3. Parking

BlueStone Lofts will continue to utilize the ".56 per bedroom" parking requirement approved under the Regulating Plan. However, due to a decrease in the number of bedrooms at BlueStone Lofts, the total number of parking spaces will also decrease.

Per the attached Parking Map (attached as <u>Exhibit B</u>), BlueStone Lofts will now provide 91 underground parking stalls on one level of underground parking. Additionally, BlueStone Lofts will provide 81 surface parking spaces along the exterior of the building site. The total number of parking spaces required under the parking ratio of .56 per bedroom is 166 stalls. At this time, it is estimated that BlueStone Lofts will possess 172 parking spaces.

## 4. Minor Alterations Due to Field Design

The final number of constructed parking spaces at BlueStone Lofts may increase or decrease due to "field design" completed in consultation between the BlueStone Lofts owner, architect, civil engineer and general contractor. Regardless of any de minimus increase or decrease in final parking counts, BlueStone Lofts will abide by the ".56 per bedroom" parking requirement approved under the Regulating Plan, and will notify the City Planning Department following any final adjustments. The applicants shall possess the ability, following the field design process, to

designate and execute cross-easements for parking between individual tracts contained within the master BlueStone Site in order to meet and/ or exceed the ".56 per bedroom" parking requirement approved under the Regulating Plan.

BlueStone Commons, LLC

By: Mark W. Lambert Its: Chief Manager

Village Center Development, LLC

By: Mark W. Lambert Its: Chief Manager

Woodland Commons, LLC

By: Mark W. Lambert Its: Chief Manager

By order of the Land Use Supervisor

Chuck Froseth, Land Use Supervisor

# Third Amendment to the Regulating Plan (Approved May 24th, 2012)

BlueStone Commons, LLC Village Center Development, LLC Woodland Commons, LLC

June 19, 2013

#### 1. Purpose

This amendment relates to the depiction of Tracts E, F, G, K, and L contained within the 22.25 acre BlueStone site plan (the "Site Plan") contained within the Regulating Plan, approved May 24th, 2012 (formerly the Woodland Middle School, the vacant land, and single family houses along Woodland Avenue) (collectively known as the "BlueStone Site"), and amended on 8-27-2012 relating to temporary signage ("First Amendment") and again on 12-21-2012 relating to an amended site plan ("Second Amendment").

Following leasing discussions with third party retailers and changing market conditions, the BlueStone Site Plan has been modified and updated. These changes include the temporary removal of the northernmost retail building located along Woodland Avenue from the Site Plan and its designation as "Future Retail", and the joining of the two retail buildings located at the southeast intersection of Summit Street and Woodland Avenue, all as generally depicted and highlighted in red on the attached Exhibit A.

Additionally, after discussions between the City of Duluth Planning Department and the Applicants, it has been determined that the Permitted Use Table governing RP Zoning Districts contained within the Duluth Unified Development Chapter, and incorporated within the approved Regulating Plan for the BlueStone Site, does not sufficiently address the Applicants' proposed use of "Coffee Drive-Thru".

In order for the Applicants to proceed with the leasing of phase 1 of the BlueStone Site retail center, Shops at BlueStone, the City of Duluth and the Applicants therefore seek to clarify the permitted uses allowed under the Applicants' Regulating Plan.

## 2. Amendment of Regulating Plan: Site Plan

With respect to Tracts E, F, G, K and L, the approved Site Plan contained within the Applicants' Regulating Plan is hereby amended to include the attached Exhibit A.

## 3. Amendment to the Regulating Plan: Permitted Use Statement.

The Permitted Use Statement contained within Section 6 of the BlueStone Commons Regulating Plan shall state "Coffee Drive-Thru" as a permitted use for Tracts K and L of the BlueStone Site.

## 4. Minor Alterations Due to Field Design

Unless amended further, the BlueStone Site will be constructed in accordance with the Site Plan. The final design of the BlueStone Site will be completed after consultation between the BlueStone Lofts owner, architect, civil engineer and general contractor, and may contain de minimis adjustments due to field design. The Applicants shall notify the City Planning Department following any final de minimis adjustments. Changes constituting significant variation from the new Site Plan shall be approved in writing by the Land Use Supervisor.

# 5. Authority.

These alterations do not constitute a variance from the provisions of Chapter 50 of the Unified Development Chapter.

BlueStone Commons, LLC, a Minnesota Limited liability company

By: Mark W. Lambert Its: Chief Manager

Village Center Development, LLC, a Minnesota limited liability company

By: Mark W. Lambert Its: Chief Manager


Woodland Commons, LLC, a Minnesota limited liability company

By: Mark W. Lambert Its: Chief Manager

By order of the City Planning and Land Use Supervisor

Charles Froseth, Land Use Supervisor

Keith Hamre, Director of Planning and Construction Services



# Fourth Amendment to the Regulating Plan (Approved May 24th, 2012)

BlueStone Commons, LLC Village Center Development, LLC Woodland Commons, LLC

June 5, 2014

## 1. Purpose

This amendment is for purposes of updating the BlueStone Regulating Plan approved May 24, 2012, amended by that certain First Amendment dated August 27, 2012, that certain Second Amendment dated December 21, 2012 and that certain Third Amendment dated June 19, 2013, and as ratified by City of Duluth Ordinance No. 10271 dated December 16, 2013 (collectively, the "Regulating Plan") to incorporate completed phases and updated site plans.

The Applicant has completed construction of those phases identified in the phasing plan attached to the Regulating Plan as Phase 1R (BlueStone Lofts) and Phases 3C and 4C (Shops at BlueStone) and is proceeding to completion of construction of those phases identified as Phases 1C and 2C (Shops at BlueStone II/Tavern on the Hill). In connection with the completion of these Phases, the Applicant has obtained or caused to be obtained all necessary permits or other approvals from the City of Duluth, and the City and the Applicant now wish to incorporate the updated site, as-built, lighting and landscaping plans into the Regulating Plan.

# 2. Amendment to the Regulating Plan - Phasing Site Plans

The following attachments shall supplement and update the original phasing and site plans included in the Regulating Plan for the referenced Phases:

Exhibit A - Phase 1R (BlueStone Lofts) final ALTA survey and site plan

Exhibit B – Phases 1C and 2C (Shops at BlueStone II/Tavern on the Hill) permitted site plan

Exhibit C – Phases 3C and 4C (Shops at BlueStone) final site plan

# 3. Amendment to the Regulating Plan - Lighting and Landscaping Plans

The following attachments shall replace their original counterparts included in the Regulating Plans:

Exhibit D – Lighting plans and drawings

Exhibit E – Landscaping plans

#### 4. Authority.

These alterations do not alter major elements of the approved Regulating Plan and do not constitute a variance from the provisions of Chapter 50 of the Unified Development Chapter.

[Signatures on the Following Page]


# [Signature Page to Fourth Amendment to the Regulating Plan (Approved May 24th, 2012)]


BlueStone Commons, LLC, a Minnesota Limited liability company By: Mark W. Lambert Its: Chief Manager Village Center Development, LLC, a Minnesota limited liability company By: Mark W. Lambert Its: Chief Manager Woodland Commons, LLC, a Minnesota limited liability company By: Mark W. Lambert Its: Chief Manager


By order of the City Planning and Land Use Supervisor


Charles Froseth, Land Use Supervisor


Keith Hamre, Director of Planning and Construction Services














blue stone



**BLUESTONE LOFTS** 





**BLUESTONE LOFTS** 

blue stone

LOFTS

TIVELO SHELMPLE BRIBHS COLLANI



PERSONAL PLANTING DETAIL

rice to digital, in one to the Owner. Notify the in whiching virginities from which the Owner. Notify the dill any conflicts to further to select reconstruction for the respect of any disregard to some any expectation of the respect of any disregard to select any expectation and permits (severing the end). We first all quantities that the responsible for all muscless and planetary soft built on responsible for all muscless and planetary soft built on responsible for all muscless and planetary soft the time was a dispersion to the plan. We first all quantities tile the war a dispersion to the plan. is and locations shall be verified and adjusted react conditions of the site. Review with

Il remore from the site all socituri which has been bect. Long-term storage of materials or supplies weed. Any plant stock not planted on day of delivery watered until installation. Plants out maintained in this ments, planters and buildings clean and nptly removed from the site. Any damage to a at the Contractor's expense. the plant schedule if discrepencies exist, over the planting notes and general notes

STANDARD WITH

rober: The Contractor was pecent to plant in the old season entirely at hisher risk.

12. Pursely said for tree and should pits: By oldoner, mix 1/2 advers told with 12. Pursely said for tree and should pits: By oldoner, mix 1/2 advers told his his said for provided high. Decopyly writer it would have a provided high Contractory to writer told pits of the provided high Contractory told his part pit oldoner. Ji amorbid sized, 1/1 page or opposit, and the oldoner is compact. New told.

15. I realize and compacted saids. Let full Deconstantion better the last pits and position of the triple of it the last pits or pits.

In Contract was the sense and the contraction what is not contract with the sense and particle of the created planting. During they to execute what the contract mattern processing purposes and particle of the contract mattern planting purposes. The wastern planting processing processin


FLARE, SET AT 1°-2" ABOVE SURROUNDING GRADE, SEE NOTE AROVE APTER INSTALLATION, TRIM OUT DEADWOOD -AND/OR DEFORMED TWIGS, DO NOT CUT LEADER. CODROMATE STANING TO INSURE UNEONA ORIENTATION OF GUY LINES AND STAKES. GUT ASSUMS, TE 16 POLYPROPILENE DR POLYETHYLENE 140 MIL) 1-1/7 WIDI STRIP- (TYP-) DOUBLE STRAND 14 GA WIRE & 3 STEEL STAKES DR SICH POSTS (9) 120 DEC, O.C. PSEE STAKING DIAGRAM). ELACING. GUY ASSEMBLY NOT MANDATORY BUT., CONTRACTOR SHALL MAINTAIN TREE IN A FLUMB POSITION FOR THE GUILATION OF THE GLUZIANTEE PERIOD. BOTTOM AND SIDES OF PIT SEE HOTES BELOW UNDISTURBED SOIL OR COMPACTED SUBGRADE MIX THOROUGHEY. SEE SPEC. - DARK SHREDGED HARDWOOD MULCH - 4" DEPTH X 5 FT DIAMETER PULL AWAY FROM TRUNK OF TREE

AFTER SETTING ROOT SALL IN HIT, BACKFILL TO WITHEN IT? OF TOP OF ROOTBALL AND SATURALE WITH WATTER, OUT AND REMOTE TO BACKFILL LINE ALL THINE, WEE AND/OS SURLAP-BACKFILL UNTIL FIT IS FULL, WATER ACAIN.

LANDSCAPE CONTRACTOR SHALL SCHEDULE INSPECTION BY THE LANDSCAPE ARCHITECT 48 HOUSE PRORT TO PLACING MULCH AROUND THE TREE PLANTINGS.

10 min

THE PARTING BEIM



LANDSCAPE CONSTRUCTION DOC. SET

ORIGINAL ESUE

Description Date
REV FTC FON & \$-17-201
PC CONC PERMIT
STT 

WIND DOOR SERVER

RODENT TRUNK PROTECTION: CORRUGATED POLYETHYENE DRAINAGE PRE SLIT VERTICALLY OR 1/2" HARDWISE-CLOTH MESH CYLINGIB. DIMENSIONS: A" DIAMETER (DR CALATER) X 36" HOT, SEE SPECIFICATED


esc

LANDSCAPE DETAILS

BLUESTONE LOFTS

CONST DDC. SIT
REVISIO
LANDSCAR
CONST DOC. SIT
FINAL LANDSCAR
PLANS

BUBLIDANE SERVEL 8-18-50



11/4 ver 11/15 m


LANDSCAPE DETAILS

LANDSCAPE CONST DOC. SIT BUNDSCAPE CONST DOC. SIT FINAL LANDSCAPE PLANS


SUILDING PERMIT 9-19-

esc

blue stone




blue stone



blue stone

BLUESTONE LOFTS



# EXHIBIT E PHASES 3C AND 4C LANDSCAPING PLANS

THE SHOPS AT BLUESTONE COMMONS

DUTINH MM

The Shops- Plant Schodule				
OTY COMMON NAME	BOTANICAL NAME	3218	CONT	CONT REMARKS
Large Decid. Trees:     1 Plyor Birth     Model: "Junymin Blaze"	Betuie regne Acot e "Auturen Blace"	25		mellesem
Ornamental Trees 12 Crabappie Spring Shaw	Malus sp "Spong Snow	9	2	matham or
Deciduous Shrubs 12 Spires "Tor"	Spires tehnilipia Tor			
& Bush Handysuckie	Distable forecare	8	9	
Evergreen Shrubs 21 Juniper Broadmace	Jumperus sabine Birparlmoor	8	2	
234 Perennially Grasses				
6 Aster Purpledomo	Aster nova englise Purpledone	2.0	000	
At Chief Street of	remark after an Thursday	9 5	9	
27 Dayley Suella d'Oro	Hemerocadis up. Stelle d'Ord.		thos	
26 Listo Bluestem Blue Heaven	Schizeolynium scopenium 'Blue Heaven'	2	8	
35 Panicum Heavy Metal	Paracum strpetum Theavy Medal"	1	1000	
17 Salva Tity NgH!	Salvia representa Titay Night	9	cont	
23 Yarrow Moonshipe CS	Actables rollelature Magnature"	1	000	
26 Scoum 'Autumn Joy'	Sedum x "Autumo Joy"	2	cont	
4 Russian Sage Latte Spire"	Persyskie atripacifolis	4	thoo	
23 Feather Read Grass Karl Foursier	Calamagrostis ecutations Nevi Forestan	n	con	

2 PLANT SCHEDUL

Oper Luin

Street. Frederic Lindbeguing.
The street frontage of the proporty shall meet the following kindbeguing requirements.
A. Minimum average depth: See Table 39-25-1, a pareage depth allows the width of the haddespear and in own in tize along effected portions of the property to respond to supergrate conditions and allow design flexibility.

B. Required trees: 1 tree per 35 ft. of linear frontage. planted (a) in alignment with similar street frontage landscaping on adjacent tasts, or if that is not possible or adjacent lost do not contain from yatel absoluciping then (b) as close to the public right-of-way as the city-engineer will permit.

C. Required shrubs: 1 large shrub per 25 ft. of linear frontage.

D. On lots adjacent to city-maintained boulevards, landscaping in the boulevards may be credited towards the landscaping requirements of this Section 50-25.3.

A Permeter Screening From Public Streets
L Minimum width: 5 ft.

Required shrubs: I large shrubs per 13 ft. of liwear frontage, or if a berm or an opaque fence or wall at least 1 ft. tall is erected, 3 small shrubs per 25 ft. of linear frontage.

Interior Landscaping Requirements
Except as provided in this section, parking lots shall provide the following lands:
Internal to the parking lot:

Mansuum area: 15: of the interior parking lot area (excluding any perimeter areas required to be landscaped by Sections 50:52.3, 50:25.4.8 or 8, or 50:52.5) for parking lots with more than 50 spaces, or 10: of the interior parking lot area for parking lots between 25 and 50 spaces.

Location: Internal landscape areas shall be dispersed on the site to break up the perception of large uninterrupted expanse of pavement (See Figure 50-25.4-B);

Required trees: 1 tree per 300 sq. ft. of internal landscape area. Tree species shall be chosen so that, combined with trees planted under subsections A. and B. above, parking lots will have a minimum tree canopy coverage of 30° at

Landscape areas shall be a minimum of 8 ft. in width (See Figure 50-25.4-C)

5. Curbing: Internal landscape areas shall be curbed for protection of the landscape materials, but planted areas shall be installed at a lower grade than the parking tot pavement, and curbing shall allow drawage from the pavement to enter and percolate through the landscaped areas.

Parking areas with less than 25 spaces are exempt from the provisions of 1 through 5 of this section, but must provide a minimum tree canopy of 30° at maturity.

Commercial or institutional abutting Residential Where a commercial, public, institutional, or civic building or project abuts loss an a residential district, a landscape buffer shall be provided using either Option A or 8 below.

is individuale halfe at least 15 ft. wede paid the provided by the commercial is institutional project on the barder before; the Buffer area shalf created in mutual landschape materials such as havin, agrand cover, bruch, and trees, and shalf and contain improved materials. One tree half he provided for every 35 ft. of boundary jot like and large 3 prints per 25 ft. of shared lot like, with spiring delayed to immire brunch (35% and other shoulcast on the resolution to the resolution).

le colonie suit letran (notes et donne lei teal 7%; opecte) regestates screen al load et 16; it shil be provided il a lence et avail la provided, the self-acus owey from the commercial or institutional use phall be at leval as financier in appearance as the self-areing the commercial or institutional use, and 3 small al shidus per 25; it, of boundary of the shall be provided, if a regestate process in propose, it, shall be at least it. In bergint a lithe time of planning.

I hereby certify that this plan was prepared by me ar under my direct supervision and that I am a duly registered landscape exhibited in the State of Mannesota. dete description

med 3/2/2014 Netes 19130

LANDSCAPE PLAN

CITY REVIEW SUBMITTAL ISSUED 05/02/14

L100

SCALE- NTS

EXHIBIT I: - PHASE IC LANDSCAPING PLAN

4 PLANT SCHEDU

CITY REVIEW SUBMITTAL ISSUED 00/00/14

Nik steen

ben errebsen ben errebsen bendendelskapts som ava belandels gas den 672 302 (1907)

THE TAVERN on the HILL DULUTH, MN

### Fifth Amendment to the Regulating Plan (Approved May 24th, 2012)

BlueStone Commons, LLC Village Center Development, LLC Woodland Commons, LLC

### September 30, 2014

### 1. Purpose

This amendment is for purpose of modifying the BlueStone Regulating Plan approved May 24, 2012, amended by that certain First Amendment dated August 27, 2012, that certain Second Amendment dated December 21, 2012, that certain Third Amendment dated June 19, 2013, and as ratified by City of Duluth Ordinance No. 10271 dated December 16, 2013 and that certain Fourth Amendment Dated August 29, 2014, (collectively, the "Regulating Plan") to modify the setback requirements of Tract A, RLS 114, St. Louis County, Minnesota.

The Applicant has initiated the final design of Phase 2R of the Regulating Plan. In connection with the completion of this Phase, the Applicant has obtained or will cause to be obtained all necessary permits or other approvals from the City of Duluth, and the City and the Applicant now wishes to a modify a single setback requirement of the Regulating Plan.

### 2. Amendment to the Regulating Plan - Tract A Building Setback

The Building Setback for the Side Yard (W) of Tract A, RLS 114, St. Louis County, Minnesota shall be amended as follows:

Tract A....

4. Building Setback:...

ii. Side Yard: (W) 0 feet

### 3. Authority.

This alteration does not alter major elements of the approved Regulating Plan and does not constitute a variance from the provisions of Chapter 50 of the Unified Development Chapter.

[Signatures on the Following Page]

### [Signature Page to Fifth Amendment to the Regulating Plan (Approved May 24th, 2012)]

BlueStone Commons, LLC, a Minnesota Limited liability company

By: Mark W. Lambert Its: Chief Manager

Village Center Development, LLC, a Minnesota limited liability company

By: Mark W. Lambert Its: Chief Manager

Woodland Commons, LLC, a Minnesota limited liability company

By: Mark W. Lambert Its: Chief Manager

By order of the City Planning and Land Use Supervisor

Charles Froseth, Land Use Supervisor

Keith Hamre, Director of Planning and Construction Services

### Sixth Amendment to the Regulating Plan (Approved May 24th, 2012)

BlueStone Commons, LLC Village Center Development, LLC Woodland Commons, LLC

October 3, 2014

### 1. Purpose

This amendment is for the purpose of updating the BlueStone Regulating Plan approved May 24, 2012, amended by that certain First Amendment dated August 27, 2012, that certain Second Amendment dated December 21, 2012, that certain Third Amendment dated June 19, 2013, that certain Fourth Amendment dated June 5, 2014 and that certain Fifth Amendment dated September 30, 2014, and as ratified by City of Duluth Ordinance No. 10271 dated December 16, 2013 (collectively, the "Regulating Plan") to incorporate completed phases and updated site plans.

The Applicant proposed construction of the phase identified in the phasing plan attached to the Regulating Plan as Phase 5C (Shops at BlueStone III). In connection with the start of this Phase, the Applicant now wishes to incorporate an updated site, lighting and landscaping plan for said Phase 5C into the Regulating Plan.

### 2. Amendment to the Regulating Plan - Phasing Site Plans

The following attachments shall supplement and update the original phasing and site plans included in the Regulating Plan for the referenced Phases:

Exhibit A - Phase 5C (Shops ate BlueStone III) site plan

# 3. Amendment to the Regulating Plan – Lighting Plan, Landscaping Plan, and Underground Storm Water Plan

The following attachments shall replace their original counterparts included in the Regulating Plans:

Exhibit B - Lighting plans and drawing for Phase 5C (Shops at BlueStone III)

Exhibit C – Landscaping plan for Phase 5C (Shops at BlueStone III)

Exhibit D – Update underground storm water plan for Phase 5C (Shops at BlueStone III)

### 4. Authority

The alterations do not alter major elements of the approved Regulating Plan and do not constitute a variance from the provisions of Chapter 50 of the Unified Development Chapter.

BlueStone Commons, LLC, a Minnesota Limited liability company

By: Mark W. Lambert Its: Chief Manager

Village Center Development, LLC, a Minnesota limited liability company

By: Mark W. Lambert Its: Chief Manager

Woodland Commons, LLC, a Minnesota limited liability company

By: Mark W. Lambert Its: Chief Manager


By order of the City Planning and Land Use Supervisor

Charles Froseth, Land Use Supervisor

Keith Hamre, Director of Planning and Construction Services



### WOODLAND AVENUE




Designer
J.Marshall, LC
Date
Jul 18 2013
Scale
Drawing No.


1 Of 1


Shops at BlueStone


Phase III











# GranVille®II LED Classic Utility

DECORATIVE



# Specifications GENERAL DESCRIPTION

The GranVille II LED Utility is designed for ease of maintenance with the plug-in electrical module common to each of the luminaires in Holophane's Utility Luminaire Series. The traditional acorn shaped luminaire, while reminiscent of the 1920's, contains a precision optical system that maximizes post spacings while maintaining uniform illumination.

### OPTICAL SYSTEM

The optical system consists of a precisely molded thermal resistant borosilicate glass refractor and top reflector mounted within the decorative aluminum housing. The glass top reflector redirects over 50% of the upward light into the controlling refractor while allowing a soft uplight component to define the traditional acorn shape of the luminaire. Two decorative aluminum covers are available. The lower refractor uses precisely molded prisms to maximize pole spacings while maintaining uniform illuminance. Two refractors are available, designed for I.E.S. type III and V distributions. Lunar optics shielding is available for asymmetric and symmetric distribution.

### **LUMINAIRE HOUSING**

The luminaire housing, cast of aluminum, provides an enclosure for the plug-in electrical module. Four uniquely designed stainless steel spring clips enclosed in a clear polyvinyl chloride sleeve and adjusted by hex head 1/4-20 bolts securely cradle the prismatic glass refractor. The same 1/4-20 bolts support the decorative rib and banding assembly. The slipfilter will accept a 3" by 2-7/8" to 3-1/8" O.D. tenon.

### LUMINAIRE HOUSING / DOOR

Cast of aluminum, the housing opens with minimum use of tools and is retained on a hinge. For units with an E.E.I.-N.E.M.A. twist lock photocell receptacle, the housing contains a "window" to allow light to reach the cell.

### **ELECTRICAL MODULE**

The electrical components are mounted on a aluminum plate that is removable with minimum use of tools. A matching five conductor plug connects to the receptacle in the luminaire housing to complete the wiring. For photoelectric operation, the electrical module is provided with an E.E.I.-N.E.M.A. twist lock photocell receptacle.

### FINISH

The luminaire is finished with polyester powder paint to insure maximum durability.

### WARRANTY

Limited warranty located at www.acuitybrands.com/CustomerResources/Terms_and_conditions.aspx

### NOTE

Actual performance may differ as a result of end-user environment and application.

Actual wattage may differ by +10% / -10% at operating temperature.

60W 347-480V version wattage may differ by +14%/ -14% at operating temperature.

Specification subject to change without notice.


HAVE	WELL	3 g Z
AAWING, WHEN APPROVED, SHALL BECOME THE COMPLETE ICATION FOR THE MATERIAL TO BE FURNISHED BY HOLOPHAN ORDER NOTED AROVE A LIMIT OF SIMILAR DESIGN MAY BE	EO, BUT OM, Y AFTER APPROVAL BY THE CUSTOMER IN G ON POLE CROEFS AN ANCHOR BOLT TEMPLIFE PRINT WILL FO WITH EACH ANCHOR BOLY CONDUCT TO MATERIAL FOR	THE PAIN TO SAFE THE PROPERTY OF HOUGHANEST THE PAGE  BO SUBJECT TO RETURN UPON DEMAND AND UPON EXPRESS  DION THAT IT WILL NOT BE USED DRECTTY OF MUDRECTTY IN  CORN THAT WAS AND THE USED DRECTTY OF MUDRECTTY IN
TO BE FURNIS	G. ON POLE ORDERS AN ANCHOR BOLT TEMPLATE PRIN	ERTY OF HOLD
APPROVED. S E MATERIAL ABOVE A LIA	FTER APPRODERS AN ANC	IS THE PROP
AWING, WHEN SATION FOR TI	ON POLE OR	SUBJECT TO ON THAT IT W


DER #: 148.09
7E: 07.174
AWN: KRW 80.0154
TE: 10/18/12 00.0076
16.#LUM GVDC 00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00.0076
00


ORDER #


### **PHILADELPHIA Series**

### Crossarms & Wall Bracket









PCP36/4 (four at 90°)

(three at 120°)

(four at 90° w/ one at center)

(three at 120° w/ one at center)

### **SPECIFICATIONS**

### CONSTRUCTION

The crossarms and wall brackets shall be one-piece construction. For wall brackets the arms shall be welded to a flat wall plate. All welding shall be per ANSI/AWS D1.2-90. All welders shall be certified per ANSI/AWS D1.2-90 Section 5.

### **MATERIALS**

The crossarms and crossarm finials shall be heavy wall, cast aluminum produced from certified ASTM 356.1 ingot per ASTM B-179-95a or ASTM B26-95. The center luminaire extension piece, and wall bracket mounting plate shall be aluminum, ASTM 6061 alloy, heat treated to a T6 temper. All hardware shall be stainless steel. All exterior hardware shall be tamper resistant.

### INSTALLATION

The crossarms shall slip-fit a post top tenon and attach with socket set screws. The center finial shall be removable. The wall bracket shall have four 9/16" dia. holes for mounting to the wall. (Bracket mounting hardware furnished by others.) Both crossarms and wall bracket shall have 3" O.D. tenons for luminaire mounting.

For finish specifications and color options see "Finish" section in catalog.


### ORDERING GUIDE


Arms & Bracket	Number of
Catalog #'s	Luminaires Required
□ PCPWB	one
☐ PCP36	two
☐ PCP36/2T	three
☐ PCP36/3	three
☐ PCP36/3T	four
□ PCP36/4	four
□ PCP36/4T	five


### Material / Finish

☐ -CA/BK	Cast Alum/Black
☐ -CA/DB	Cast Alum/Dark Bronze
□ -CA/DG	Cast Alum/Dark Green
□ -CA/PP	Cast Alum/Prime Painted
-CA/CC	Cast Alum/Custom Color









# Exhibit C

To give the healing and the property field interest the following indistinguish to property and a following the state of t	And it controlled to the second by the party of the party for the second producting and analysis of the second in the party by
to the property of the conditions to all althous the equal to relating	A Millionith goes 131-of the missing particing list was badjusting any perturbation away required to be formationed by personen by 45.3, 3 mill of art 3, 61 52 51.5
If Standing Steen 1 Was per JATA of Some Vascage, passind jet in signment with every others because Perfectioning and analysis and sense have a filter a well possible or	for parting the outh freet flows 37 spaces to 167 of the named parting the ones for parting but between 31 and 54 spaces.
edizament from the new section's Pract yard to the Essering Place (3) on Claim to the public of bibliothesis on the sixty express will second	<ol> <li>Linkinson behaved kareksapa selva ibad ba estavlisetena bis mit sena na tima praticipian of lags amtical superior of planning East figure (Prif 6 8).</li> </ol>
i, depond tools, i'mprotest you () the others human. Is the adjusted to specimental bedieved the except and a humans not be seeded to see the finishest of presentation of the bedieved 18 ft s.	I Projected been 5 there are job on B, of a formal bandwider was Throughouse.  I shall be the control to the section of the best of the projected bandwiders of the section
	A Limitable strate shift has a manner of \$11 to weath from \$100 to \$1.
A Terminal Scharge from Switch Margin.  I Austern weigh. VII.  I Personal series i was gare 31	<ol> <li>Corting Durwal in strays men, shall be surised by program of the feminoses mentalish in primary are so that is a maring fast of your grade flow in parking in processor or of primary land allow absorpt hims the parament in retar and perceives aboutly the sends send over.</li> </ol>
If of fear of fearings 2 temperatures (fearings and fearings) (fearings fearings) (fearings fearings) (fearings) fearings (fearings)	<ul> <li>Parking gings with finite file data games are constant from the prediction of a floresty? At their scalars, but doubt presides a school-or force, shadge at \$00 at security.</li> </ul>
The day were the state of the s	the statement of the st
	Colours is the artists (1) is delicable spread by the in-recorded to the consequence of the control of the control of the colours and the colours
	is altered to the interest dense to hand the causing equation were to oppose with the interest of the causing equation to the causing and with the land causing an interest of the causing causing many the the causing an interest of the causing causing and the causing causing causing causing causing dense and the causing proceedings of the causing from any 20 ft of the causing proceedings or causing property, 20 of the causing in causing causing causing to causing causing causing causing causing causing the causing causing causing causing causing the causing causing causing causing causing the causing causing causing causing the causing causing causing causing the causing causing causing the causing causing causing the causing causing the causing causing the causing causing the causing causing the causing th

The Shops III. Plant Schedula QIY COMBON NAME GOTANGAL MAME	A Luge Dead Trees Seale 1000 Auto Sarts Auto Sarts Auto Sarts Auto Sarts Auto Sarts Auto Sarts Auto Sarts	Omnemental Truss 10 Custoppie 'Spiring Snow Addition op Spiring Snow	11 Section Security Solves Delication To-	Orth Williams		13 Shrub Rox Purple Paverneri Rose sp. Preple Paverneri	29 stuth Heineprocitie Devitte Amplens		16 Janpor Ony Out	224 Pountain's Organie	-		SOUTH STATE OF STATE	27 July Breaten The Petron Sentating Author Sentating The Petron	- County	farming.
H	hù	**	18	52	T	W	đ	7	8	•						
SIZE CONT REMARKS	CARRE	Talklen	200	Carr	202	50	E 3		200	1		New Asset	200	8 1	200	2000



1		
r a		
	Series Series	2.13

ANAJGOOW SUNSYA

SHOPS III DULUTH, MN ben erickson benderindesigns.com ever.belonddesigns.com 612.382.0903

The Contractor may elect to plant in the off-seasons entirely at his/hi

1. All quantities, shapes of books and locations shall be verified and adjusted requests to confine to the seaso-confines and the latter. Reviews with requests to confine to the seaso-confines and the latter. Reviews with reduces possible or specially replaced in the content of the content

in what has been prevenent, planters and buildings clean and was the state that the state of the state that the state prevener over the paint state of the state of th

or the buddedpe artifact. "I Street a Background in 1970 and 1970

1 PLANTING NOTES

1. Pleasing soil for tree and strok pitt. By volume, met 1/2 author usids with The The Stroke Stroke

TRIM OUT BROKEN & DEAD STEMS ONLY.
SPACE PLANTS ACCORDING TO PLANT SCHEDULE.

I YEAR WARRANTY ON ALL PLANT MATERIAL

PLANTING SOIL (\$ MNDOT 3877-2 SELECT BORROW TOPSOIL • \$ COMPOST • \$ CLEAN WASHED SAND). SEE SPEC. 2" }* GRAY TRAP ROCK MULCH. PULL MULCH AWAY FROM STEMS OF PLANTS TO PREVENT ROTTING.

SCARIFY BOTTOM AND SIDES OF PLANTING HOLE. UNDISTURBED NATIVE SOILS.

2 SCALE T' 4.0"

MOTES.

INCORPACTOR SHALL LOCATE WITH HIS TOTE ROOT PLARE OF ELICIT TREE PRICE TO DICKNESS THE PLATIFER FITH THE MOST TREE OF STATES THE MAIN STEAL HE PLATIFER FITH THE MAIN STEAL HE PLATIFER FITH THE MAIN STEAL HE PLATIFER FITH THE MAIN STEAL PLATIFER TO SECTION STEAL PLATIFER TO SECTION STEAL PLATIFER TO SECTION STEAL PLATIFER THE MAIN TO SECTION STEAL SHEEP WILL SHETHALL, SHETHAL STEAL SHEEP WILL SHETHAL SHEEP WILL SHETHAL SHEEP SH PHORE PERMINAGED TRUMN
- GAMAGED TRUMN
- BURBED ROOT FLARES
- BURBED ROOT FLARES
- LINKONGOLBATED ROOTS
- LINKONGOLBATED ROOTBALL SOIL (DUE TO
-TREES WITH BE REJECTED FOR THE FOLLOWING REASONS: 1 YEAR WARRANTY ON ALL PLANT MATERIAL

Project & MAR

RODENT TRUM, PROTECTION: CORRUGATED POLYETHYBHE DRAINAGE PIPE SUIT VERTICALLY OR 1/2" HARDWIRE-CLOTH MESH CYLINDER. DIMENSIONS: 4" DIAMETER (OR CREATER) X 36" HGT, SEE SPECIFICATION AFTER SETTING ROOT BALL IN PIT, BACKFIL TO WITHIN 12' OF PORTOTAL AND SATURETE WITH WATER. CUT AND REMOVE TO BACKFIL LIHE ALL TWINE, WHE AND/OR BURLAP, BACKFIL LIHTIL PIT IS PULL, WATER AGAIN. "DARK SHEDDED HARDWOOD MULCH - 4" DEPTH X 5 FT DIAMETER. PULL AWAY FROM TRUNK OF TREE BACKFILL WITH 1/2 NATIVE SOILS AND 1/2 PLANTING SOIL, MX THOROUGHLY. SEE SPEC. AFTER INSTALLATION, TRIM OUT DEADWOOD AND/OR DEFORMED TWIGS, DO NOT CUT LEADER. FLARE, SET AT 1"-2" ABOVE SURROUNDING GRADE. SEE NOTE ABOVE STAKES AND GUY WIRES -SEE NOTES BELOW

UNDISTURBED SOIL OR COMPACTED SUBGRADE

GUY ASSEMBLY: 16" POLYPROPYLIDE OR POLYETHTI, BUE (40 MIL) 1-1/2" WIDE STRIP. (TYP.) DOUBLE STRAND 14 GA WIRE & 3 STEEL STAKES OR SIGN POSTS ® 120 DEG. O.C. (SEE STAKING DIAGRAM). STARRIG. GUT ÁSBURLY NOT MANDATORY BUT, CONTRACTOR SHALL MAINTAIN TREE IN A PLUMB POSITION FOR THE DURATION OF THE GUARANTEE PERIOD. COORDINATE STAKING TO INSURE UNIFORM DRIENTATION OF GUY LINES AND STAKES.

120 DEG.

I heady carlify that this piece was propored by me or under my direct appreciate and that I am a daily registered transcoles protrinct in this State of Mossesola.

5 TREE PLANTING DETAIL
SCALE- NTS

SPACING -SURFACE MMT. 6" CONC. PLAZA. 1.9.1

PLAN

ELEVATION

3 SCALE- T- 2-0"

- 3" DETTH, DARK SHREDGED HARDI MULCH. FINISHED GRADE PLANTING SOIL, SEE SPEC. - PULL MULCH AWAY FROM ALL STEMS TO PREVENT ROTTING. - SCARIFTY BOTTOM AND SIDES OF PLANTING HOLE. UNDISTURBED NATIVE SOILS TRIM OUT BROKEN & DEAD STEMS ONLY. 1 YEAR WARRANTY ON ALL PLANT MATERIAL DIAMETER OF POTS TO BE PLANTE

4 SCALE- 1-4-0"

LANDSCAPE CONTRACTOR SHALL SCHEDULE BISPECTION BY THE LANDSCAPE ARCHITECT AS HOURS PRIOR TO PLACING MULCH AROUND THE TREE PLANTINGS. DISH PLANTING PIT. SCARIFY BOTTOM AND SIDES OF PIT


LANDSCAPE
DETAILS

L₂.0

DITY REVIEW SUBMITTAL ISSUED 10/02/14

000 base 300/00/2016

driver by M.



### Seventh Amendment to the Regulating Plan (Approved May 24th, 2012)

BlueStone Commons, LLC Village Center Development, LLC Woodland Commons, LLC

### March 18, 2015

### 1. Purpose

This amendment is for the purpose of updating the BlueStone Regulating Plan approved May 24, 2012, amended by that certain First Amendment dated August 27, 2012, that certain Second Amendment dated December 21, 2012, that certain Third Amendment dated June 19, 2013, that certain Fourth Amendment dated June 5, 2014 and that certain Fifth Amendment dated September 30, 2014, that certain Sixth Amendment dated October 3, 2014, and as ratified by City of Duluth Ordinance No. 10271 dated December 16, 2013 (collectively, the "Regulating Plan") to incorporate completed phases and updated site plans.

The Applicant proposed construction of the phase identified in the phasing plan attached to the Regulating Plan as Phase 2R (BlueStone Flats). In connection with the start of this Phase, the Applicant now wishes to incorporate updated site, lighting, landscaping and underground storm water plans for said Phase 2R into the Regulating Plan and to replace all references of BlueStone Lofts II to BlueStone Flats.

### 2. Amendment to the Regulating Plan - Phasing Site Plans

The following attachments shall supplement and update the original phasing and site plans included in the Regulating Plan for the referenced Phases:

Exhibit A – Phase 2R (BlueStone Flats) site plan

# 3. Amendment to the Regulating Plan – Lighting Plan, Landscaping Plan, and Underground Storm Water Plan

The following attachments shall replace their original counterparts included in the Regulating Plans:

Exhibit B – Lighting plans and drawing for Phase 2R (BlueStone Flats)

Exhibit C – Landscaping plan for Phase 2R (BlueStone Flats)

Exhibit D – Update underground storm water plan for Phase 2R (BlueStone Flats)

### 4. Amendment to the Regulating Plan - Name Change

All references to "BlueStone Lofts II, LLC." are changed to "BlueStone Flats, LLC."

All references to "BlueStone Lofts II" are changed to "BlueStone Flats"

### 5. Authority

The alterations do not alter major elements of the approved Regulating Plan and do not constitute a variance from the provisions of Chapter 50 of the Unified Development Chapter.

BlueStone Commons, LLC, a Minnesota Limited liability company

By: Mark W. Lambert Its: Chief Manager

Village Center Development, LLC, a Minnesota limited liability company

By: Mark W. Lambert Its: Chief Manager


Woodland Commons, LLC, a Minnesota limited liability company


By: Mark W. Lambert Its: Chief Manager


By order of the City Planning and Land Use Supervisor


Charles Froseth, Land Use Supervisor


Keith Hamre, Director of Planning and Construction Services











CTOR SHALL LOCATE WITH PIN THE ROOT FLARE OF EACH TREE PRIOR TO HE PLANTING PIT. (THE FLARE IS THE TRANSITION ZONE BETWEEN THE MAI HARTING RITTO DEPTH BETENNEND ABONE, PET SHALL BE DIGHED WITH SIDEWALLS AS DIGHER BELLON, SCHARLEN AND SHALL AND BELLON OF PET. AND STATE OF PET. SHE HART SO THAT FALLE IS ONE! TWO ENCIRS ABONE SABDOMERING CALADE AS SET THERE HA FITS ON THAT FALLE IS ONE! THOSE TO SHALL ABOUND AND THAT ALL AND SWITH PARKET ALL AND SHOW THOSE TO SHALL PURTISE SERVING MONOTALL, PURTISE SERVING MONOCATED ON BOOTHALL PURTISE SERVING. OF STATES WITH TOP OF ROOTBALL TO EXPOSE TOP OF PLAKE. TREES WITH ESS SOIL ABOVE THE PLANE WILL BE REJECTED. MEASURE DISTAN AND BOTTOM OF ROOTBALL, SUBTRACT 10°, TO DETERMINE DEPT


ADDENT TRUNK PROTECTION: CORRUGATED POLYETHYENE DIAMMACE PIPE SLIT VERTICALLY OR 1/2" HARDWIRE-CLOTH MESH CYLINDER. DIMENSIONS: 4" DIAMETER (OR GREATER) X 35" HGT, SEE SPECIFICATION DARK SHREDDED HARDWOOD MJICH - 4" DEPTH X 5 FT DIAMETER PULL AWAY FROM TRUNK OF TREE BACKFILL WITH 1/2 NATIVE SOILS AND 1/2 PLANTING SOIL MX THOROUGHLY. SEE SPEC. AFTER SETTING BOOT BALL IN PIT, BACKIEL TO WITHEN IT OF TOO OF ROOTBLAL AND SCHOOLT WITH WATEN, CUT AND REMOVE TO BACKIEL UNIT ALL TWHE, WHE AGARL UNIT PIT IS FULL, WATER AGARL. LANDSCLAF CONTRACTOR SHALL SCHEDULE INSPECTION BY THE LANDSCLAFE ARCHITECT 48 HOURS PRIOR TO PLACING MALCH ARCUND THE TREE PLANTINGS. AFTER INSTALLATION, TRIM OUT DEADWOOD - AND/OR DEFORMED TWICS. DO NOT CUT LEADER. DISH PLANTING PIT, SCARFY -BOTTOM AND SIDES OF PIT FLARE, SET AT 1"-2" ABOVE SUBROUNDING -GRADE. SEE NOTE ABOVE STAKES AND GUY WIKES -SEE NOTES BELOW

GUT ASSABLY: 16' POLYPROPILIBIE OR POLYTTHYLDE (40 MI) 1-1/2" WIDE STRP- (TYP-), DOUBLE STRAND 14 GA WREE B.3 STEEL STAKES OR SGN POSTS @ 120 DEG. O.C. (SEE STARING DIAGRAM). STARING; GUY ASSEMBLY NOT MANDATORY BUT, CONTRACTOR SHALL MAINTAIN TREE IN A PLUMB POSITION FOR THE BURBATTER PERIOD. COORDINATE STAXING TO INSURE UNIFORM STAKES.

2 DECIDIOUS TREE DETAIL

esd


BLUESTONE LOFTS
PHASE II
201 Summet Secret
Datestly, AN



I hereby certify that this plan was prepared by me or under my direct experience on that I om a day registered includeson architect in the State of Minnesoto.

Agnature registration number 50130

dote leaved 12/22/14



BUILDING PERMIT SET 2014-12-22

ONGLINAL INSUL

LANDSCAPE DETAILS

be be be

210410 mojici sanaka

**L300** 

6 NATURAL VEGETATION

### EXHIBIT D

# Redevelopment Through Phase 4 (Lofts 2)

Drainage Report Duluth, Minnesota

SEH No. BLUST 120765

December 30, 2014





# **Table of Contents**

Title Page Table of Contents

			Page
1.0	Intro	oduction	1
2.0	Proj	ect Narrative	1
3.0	Pre	and Post-Redevelopment Conditions	1
	3.1	Pre-Redevelopment Conditions:	
	3.2	Post-Redevelopment Conditions:	2
4.0	Peri	manent Water Quality and Peak Discharge Rate Control	3
	4.1	Treatment and Pollutant Removal Requirements:	4
	4.2	Runoff Rate Control:	5
5.0	Con	clusion	5
		List of Tables	
Table	1	Pre-Redevelopment Hydrologic Parameter Summary	
Table	2	Post-Redevelopment Hydrologic Parameter Summary	
Table	3	Stormwater Water Quality and Rate Control Requirement Summary	3
Table	4	WinSLAMM Water Quality Modeling Result for Each Treatment System Through Phase 4	4
Table	5	HydroCAD Peak Flow Results Summary Through Phase 4	5
		List of Figures	
Figure	1	Overall Stormwater Plan	
Figure		Existing Conditions Drainage Map	

# Redevelopment Through Phase 4 (Lofts 2) Drainage Report

Prepared for BlueStone Commons LLC

### 1.0 Introduction

The proposed BlueStone Commons Development consists of commercial buildings, multi-unit housing, streets, trails, and parking areas located north of Clover Street between Woodland Avenue and East 8th Street. The development will create a friendly environment for students to live, work, and shop. The project was broken into multiple phases with hydrologic studies currently completed for:

- Overall Development Reports (7/17/13, 8/8/13, 10/16/14)
- Phase 1, Lofts 1 & Retail Phase 2 (7/10/12)
- Phase 2, Retail Phase 1 (10/28/13)
- Phase 3, Retail Phase 3 (10/16/14)

The information provided within this Drainage Report includes a summary of existing conditions and redevelopment through Phase 4, herein known as Lofts 2, located in the northeast section of the development.

### 2.0 Project Narrative

Construction of the overall proposed BlueStone Commons Development will require the removal of seven existing residential homes and an existing school building. Approximately 40% of the existing wooded area will be preserved and overall drainage patterns of the site will be retained. Runoff will be treated and detained on- site through the use of underground facilities, filtration basins, and other BMPs, as necessary, to meet requirements.

The Lofts 2 portion of the development will consist of a new building, the connection of Summit Street to Elizabeth Street, the addition of parking along Elizabeth Street, and various pathways and trails. Additionally, the Lofts 2 portion of the development will include a rock trench which will serve as an infiltration element for stormwater treatment.

### 3.0 Pre and Post-Redevelopment Conditions

The existing and proposed conditions were analyzed using HydroCAD and WinSLAMM software. Models will be submitted to the City upon request. A summary of the results through Phase 4 are provided within this report.

### 3.1 Pre-Redevelopment Conditions:

The pre-redeveloped site includes a school, residential homes, open green space, and undeveloped wooded areas. The site soils include Barto-Greysolon-Rock outcrop complex, Urban land-Cultre-Rock outcrop complex, and bedrock. The site slopes to the southwest at 0 – 18% grades. The majority of site runoff flows overland to on-site catch basins or adjacent

Additional treatment systems were explored for the NE2 basin, but shallow rock and a lack of storm sewer in Elizabeth Street proved to make alternative systems (such as underground treatment) not cost effective.

Table 2 describes the hydrologic parameters of the site based on the improvements to the site through Phase 4.

Table 2
Post-Redevelopment Hydrologic Parameter Summary

Drainage Area	Total Acres	CN	Tc	Notes			
P1.4	0.3	82	15	Construction Complete			
DEV1	4.3	93	12	Construction Complete			
NE1	2.4	92	12	Portion to be Constructed			
NE2.1	0.6	93	7	To be Constructed			
NE2.2	0.2	98	7	To be Constructed			
RD1	0.4	96	7	Construction Complete			
RD2	2.7	91	12	Portion has been Constructed			
FD1	1.5	95	12	Under Construction			
FD2	0.9	94	10	Future (Portion of EX1)			
FD3	2.2	86	12	Future (Portion of EX2)			
FD4	1.9	96	12	Future (Portion of EX1)			
PR3	4.7	78	15	To Remain Undeveloped			
TOTALS	22.0						

Shaded areas indicated areas that will be redeveloped through proposed Phase 4.

### 4.0 Permanent Water Quality and Peak Discharge Rate Control

The overall proposed development will be a combination of new development and redevelopment. To establish the City TSS removal requirement, a weighted calculation was completed and is shown in the previous overall development report. A required TSS removal efficiency of 66% was determined for the entire development.

The peak flow rates from the site will be maintained and/or reduced from the existing conditions.

Table 3
Stormwater Water Quality and Rate Control Requirement Summary

Type of Requirement	<b>Development Trigger</b>	Required Treatment
Disturbed Area	New and Redevelopment > 1 Acre	66% TSS Removal (Weighted Average)
Stormwater Flow Volume Reduction or Pollutant Removal	Bedrock and heavy clay soil limitations.	66% TSS Removal (Weighted Average)
Runoff Rate Control	New and Redevelopment	Match or reduce predevelopment peak flow rates for all storm events.

### 4.2 Runoff Rate Control:

HydroCAD Version 10.0 modeling software was utilized in the analysis, using the SCS method to estimate peak flows and verify the runoff rate control requirement. Modeling data is available for review by the City upon request.

The following Type II 24-hour storm events were modeled:

- 2 year storm event 2.55"
- 10 year storm event 3.80"
- 100 year storm event 5.30"

Peak flow rate control for basin NE1 is accomplished using the existing filtration basin (treatment system #2). This basin was originally designed to account for the additional flow that would be generated from the full development of basin NE1.

Peak flow rate control for basin NE2.1 is accomplished by accounting for 1.6" of detention that occurs on the flat top roof of Lofts 2 during the 100-year event. This depth accounts for the 0.4 acres of rooftop which is tributary to basin NE2.1. Additional storage exists in the rock trench (treatment system #7), but this storage was not accounted for in the HydroCAD modeling. The rate reduction achieved using the rooftop detention offsets the added peak flows that occur from undetained basin NE2.2.

Table 5
HydroCAD Peak Flow Results Summary Through Phase 4

Modeling results reflect the total peak flow (cfs) leaving the site

	Exi	sting Condition	ons	Dev	eloped Conditi	ons
	Oregon Creek	Tischer Creek	Site Total	Oregon Creek	Tischer Creek	Site Total
2-Year Event	31.4	1.1	32.5	27.2	1.0	28.1
10-Year Event	58.4	2.0	60.4	54.7	1.9	56.6
100-Year Event	92.3	3.2	95.5	90.2	3.0	93.2

### 5.0 Conclusion

In conclusion, the proposed BlueStone Phase 4 (Lofts 2) development is designed to meet the drainage requirements identified by the City and summarized within this report. This is accomplished primarily by the use of the existing filtration basin along Summit Street along with a rock trench along the west side of the building.

# List of Figures

Figure 1 – Overall Stormwater Plan Figure 2 – Existing Conditions Drainage Map

